



# TUV T8

## TUV 30W T8

TUV T8 lamps are double-ended UVC (germicidal) lamps used in professional water and air disinfection units. TUV T8 lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Moreover, they have a long and reliable lifetime, which allows maintenance to be planned for in advance.

### Product data

#### • General Characteristics

System Description	-
Cap-Base	G13
Bulb	T8 [T8]
Main Application	Disinfection
Useful Life	9000 hr

#### • Light Technical Characteristics

Color Designation (text)	-
--------------------------	---

#### • Electrical Characteristics

Watts	30 W
Lamp Wattage Technical	30 W
Lamp Voltage	102 V
Lamp Current	0.37 A

#### • Environmental Characteristics

Mercury (Hg) Content	2.0 mg
----------------------	--------

#### • UV-related Characteristics

UV-C Radiation	12.0 W
----------------	--------

#### • Product Dimensions

Base Face to Base Face A	894.6 (max) mm
Insertion Length B	899.3 (min), 901.7 (max) mm
Overall Length C	908.8 (max) mm
Diameter D	28 (max) mm

#### • Product Data



Product number	360164
Full product name	TUV 30W 1SL
Short product name	TUV 30W 1SL/25
Pieces per Sku	1
eop_pck_cfg	25
Skus/Case	25
Bar code on pack	8711500726209
Bar code on case	8711500638625
Logistics code(s)	928039504005
eop_net_weight_pp	131.000 gr

### Dimensional drawing

## Dimensional drawing


### TUV 30W T8

Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TUV TL-D 30W	894.6	899.3	901.7	908.8	28



G13

## Photometric data



© 2013 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2013, May 17  
data subject to change