

### Blacklight BL368 Linear T8 F15W T8 BL368 0000082



#### **Product features**

The energy distribution of the BL368 lamp is concentrated around the spectral peak at 368nm which is the most important frequency for the attraction of flying insects.













### PRODUCT OVERVIEW

| Product name               | F15W T8 BL368        |
|----------------------------|----------------------|
| Technology                 | Special applications |
| Lamp shape                 | Tubular shape        |
| Туре                       | T8                   |
| Cap/Base                   | G13                  |
| Lamp finish                | Frosted/Coated       |
| Fixture rating             | Enclosed             |
| General application        | SPG                  |
| ETIM Class                 | EC002962             |
| E-number FI                | 4940737              |
| Light colour               | BL368 Blacklight     |
| Wattage (W)                | 15.00                |
| Product Voltage (V)        | 55                   |
| Dimmable                   | No                   |
| Dimming method             | N/A                  |
| Average life (Nominal) (h) | 14000                |
| Product EAN number         | 5410288000824        |
|                            |                      |

#### **DATA TABLE**

| General data                     |                      |
|----------------------------------|----------------------|
| Product name                     | F15W T8 BL368        |
| Technology                       | Special applications |
| Lamp shape                       | Tubular shape        |
| Туре                             | T8                   |
| Cap/Base                         | G13                  |
| Lamp finish                      | Frosted/Coated       |
| Fixture rating                   | Enclosed             |
| General application              | SPG                  |
| Operating temperature range (°C) | -15°C+40°C           |
| ETIM Class                       | EC002962             |
| E-number FI                      | 4940737              |
|                                  |                      |



# Blacklight BL368 Linear T8 F15W T8 BL368 0000082


| Ambient temperature for maximum       | 25                    |
|---------------------------------------|-----------------------|
| luminous flux (°C)<br>Light colour    | DI 269 Placklight     |
| · ·                                   | BL368 Blacklight<br>N |
| Adjustable chromaticity               | N                     |
| Electrical data                       |                       |
| Wattage (W)                           | 15.00                 |
| Watt (Rated) - High frequency (W)     | 13.50                 |
| Current (A)                           | 0.310                 |
| Mains voltage (V)                     | 230-240V              |
| Product Voltage (V)                   | 55                    |
| Control gear required                 | Yes                   |
| Transformer required                  | No                    |
| Dimmable                              | No                    |
| Dimming method                        | N/A                   |
| Drive current (mA)                    | 310                   |
| ifetime data                          |                       |
| Average life (Nominal) (h)            | 14000                 |
| Physical data                         |                       |
| Nominal Product Length (mm)           | 450.0                 |
| Nominal Product Diameter (mm)         | 26                    |
| Max. Length base to base (mm) - A     | 437.4                 |
| Length base to pin Min-Max (mm) - B   | 442.1-444.5           |
| Max. Lamp Length (mm) - C/L           | 451.6                 |
| Max. Lamp Diameter (mm) - D           | 28.0                  |
| Weight (kg)                           | 0.063                 |
| Packaging                             |                       |
| Single packaging type                 | Carton                |
| Product EAN number                    | 5410288000824         |
| Packaging single length / height (cm) | 45.2                  |
| Packaging single width (cm)           | 2.9                   |
| Packaging single depth (cm)           | 2.8                   |
| DUN14 (outer)                         | 15410288000821        |
| Units per outer package               | 25                    |
| Packaging outer length / height (cm)  | 48.0                  |
| Packaging outer width (cm)            | 15.5                  |
| Packaging outer depth (cm)            | 15.0                  |
| Safety data                           |                       |
| Lamp mercury content (mg)             | 9.0                   |
| Optimal operating condition (°C)      | -15-40                |
| Breakage cleaning instructions        | Applicable            |
| Recommendation for disposal at end of | Applicable            |



## Blacklight BL368 Linear T8 F15W T8 BL368 0000082

| Special purpose lamp                | Yes                            |
|-------------------------------------|--------------------------------|
| Intended purpose                    | Flykilling - Insect attraction |
| Suitable for household illumination | No                             |
| Safety message                      | Not suitable for household     |

### **PHOTOMETRY**



### **TECHNICAL DRAWINGS**

